

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 10.24.2014

Page 1 of 7

Acetone Reagent Grade

SECTION 1 : Identification of the substance/mixture and of the supplier

Product name : Acetone Reagent Grade

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25120B

Recommended uses of the product and uses restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific
9 Barnhart Drive, Hanover, PA 17331

Supplier Details:

Fisher Science Education
15 Jet View Drive, Rochester, NY 14624

Emergency telephone number:

Fisher Science Education Emergency Telephone No.: 800-535-5053

SECTION 2 : Hazards identification

Classification of the substance or mixture:



Flammable

Flammable liquids, category 2



Irritant

Eye irritation, category 2A

Specific target organ toxicity following single exposure, category 3

Flam. Liq. 2

Eye Irrit. 2A

STOT SE 3

Signal word : Danger

Hazard statements:

Highly flammable liquid and vapour

Causes serious eye irritation

May cause drowsiness or dizziness

Precautionary statements:

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Keep away from heat/sparks/open flames/hot surfaces. No smoking

Wear protective gloves/protective clothing/eye protection/face protection

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/light/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Avoid breathing dust/fume/gas/mist/vapours/spray

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 10.24.2014

Page 2 of 7

Acetone Reagent Grade


Wash skin thoroughly after handling
Use only outdoors or in a well-ventilated area
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.
Continue rinsing
Call a POISON CENTER or doctor/physician if you feel unwell
If eye irritation persists get medical advice/attention
In case of fire: Use agents recommended in section 5 for extinction
Store in a well ventilated place. Keep container tightly closed
Store in a well ventilated place. Keep cool
Store locked up
Protect from sunlight
Dispose of contents and container to an approved waste disposal plant

Other Non-GHS Classification:

WHMIS



NFPA/HMIS



NFPA SCALE (0-4)

| | |
|---------------------|---|
| Health | 2 |
| Flammability | 3 |
| Physical Hazard | 0 |
| Personal Protection | X |

HMIS RATINGS (0-4)

SECTION 3 : Composition/information on ingredients

Ingredients:

CAS 67-64-1

Acetone

100 %

Percentages are by weight

SECTION 4 : First aid measures

Description of first aid measures

After inhalation: Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

After skin contact: Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 10.24.2014

Page 3 of 7

Acetone Reagent Grade

After eye contact: Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention if irritation, discomfort, or vomiting persists. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed:

Irritation. Headache. Nausea. Shortness of breath.;

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: Use dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents: Water may be ineffective.

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides. Vapors can flow to distant ignition sources and flashback

Advice for firefighters:

Protective equipment: Wear protective eyewear, gloves, and clothing. Refer to Section 8. Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions): Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational. Avoid contact with skin, eyes and clothing. Remove all sources of ignition.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Wear protective eyewear, gloves, and clothing. Refer to Section 8. Always obey local regulations. Containerize for disposal. Refer to Section 13. Use spark-proof tools and explosion-proof equipment. Remove all sources of ignition. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal.

Reference to other sections:

SECTION 7 : Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances. Use under a chemical fume hood. Use explosion-proof equipment.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Keep away from open flames, hot surfaces and sources of ignition. Provide ventilation for containers. Keep container

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3


Effective date : 10.24.2014

Page 4 of 7

Acetone Reagent Grade

tightly sealed. Store away from incompatible materials.

SECTION 8 : Exposure controls/personal protection



Control Parameters:

67-64-1, Acetone, ACGIH TLV TWA 1,200 mg/m³
67-64-1, Acetone, OSHA PEL TWA 2,400 mg/m³

Appropriate Engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use under a chemical fume hood.

Respiratory protection:

Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment.

Protection of skin:

Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.

Eye protection:

Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye protection.

General hygienic measures:

Perform routine housekeeping. Wash hands before breaks and at the end of work. Avoid contact with skin, eyes, and clothing. Before wearing wash contaminated clothing.

SECTION 9 : Physical and chemical properties

| | | | |
|-------------------------------------------|-------------------------|----------------------------------------------------------------|------------------------------------------|
| Appearance (physical state,color): | Clear, colorless liquid | Explosion limit lower: Explosion limit upper: | 2 %(V) 13 %(V) |
| Odor: | sweet | Vapor pressure: | 231 mm Hg @ 25°C |
| Odor threshold: | Not determined | Vapor density: | 0.791 g/cm ³ at 25 °C (77 °F) |
| pH-value: | 7 | Relative density: | Not determined |
| Melting/Freezing point: | -94 °C (-137 °F) | Solubilities: | miscible in water |
| Boiling point/Boiling range: | 56 °C (133 °F) | Partition coefficient (n-octanol/water): | log Pow: -0.24 |
| Flash point (closed cup): | -17.0 °C (1.4 °F) | Auto/Self-ignition temperature: | 465.0 °C (869.0 °F) |
| Evaporation rate: | 0.1 | Decomposition temperature: | Not determined |

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Page 5 of 7

Effective date : 10.24.2014

Acetone Reagent Grade

| | | | |
|--------------------------------------|------------------|-------------------|-----------------------------------------------------------|
| Flammability (solid,gaseous): | flammable liquid | Viscosity: | a. Kinematic:Not determined b. Dynamic: Not determined |
| Density: Not determined | | | |

SECTION 10 : Stability and reactivity

Reactivity:Nonreactive under normal conditions.

Chemical stability:Stable under normal conditions.

Possible hazardous reactions:Acetone reacts violently with phosphorous oxychloride.Vapours may form explosive mixture with air.

Conditions to avoid:Incompatible materials.Heat, Sparks, Open Flames.Direct Sunlight

Incompatible materials:Strong oxidizing agents.Strong reducing agents.Strong Bases.Nitric acid.sulfur dichloride potassium tert-butoxide. hexachloromelamine. chloroform. alkali, sulfuric acid

Hazardous decomposition products:Carbon oxides.

SECTION 11 : Toxicological information

| | | |
|-----------------------------------------------------|------------------------------------------------------------------|----------------------------------------|
| Acute Toxicity: | | |
| Oral: | 67-64-1 (acetone) | LD50 Rat: 5800 mg/kg |
| Inhalation: | 67-64-1 (acetone) | LD50 Rat: 50100 mg/m ³ /8 h |
| Dermal: | 67-64-1 (acetone) | LD50 Rabbit: 20000 mg/kg |
| Chronic Toxicity: No additional information. | | |
| Corrosion Irritation: | | |
| Ocular: | 67-64-1 (acetone) | Rabbit: Mild Eye Irritation - 24 - h |
| Dermal: | 67-64-1 (acetone) | Rabbit: Mild Skin Irritation - 24 h |
| Sensitization: | guinea pig - Does not cause skin sensitisation. | |
| Single Target Organ (STOT): | May cause drowsiness or dizziness. | |
| Numerical Measures: | No additional information. | |
| Carcinogenicity: | Not listed as a carcinogen (ACGIH, IARC, NTP): 67-64-1 (acetone) | |
| Mutagenicity: | No additional information. | |
| Reproductive Toxicity: | No additional information. | |

SECTION 12 : Ecological information

Ecotoxicity

Fish LC50 - Oncorhynchus mykiss (rainbow trout) - 5,540 mg/l - 96 h: 67-64-1 (acetone)

Invertebrates EC50 - Daphnia magna (Water flea) - 8,800 mg/l - 48 h: 67-64-1 (acetone)

Persistence and degradability: Readily biodegradable.

Bioaccumulative potential: Not Bioaccumulative.

Mobility in soil: Aqueous solution has high mobility in soil.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 10.24.2014

Page 6 of 7

Acetone Reagent Grade

Other adverse effects: None identified.

SECTION 13 : Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14 : Transport information

UN-Number

1090

UN proper shipping name

Acetone

Transport hazard class(es)



Class:

3 Flammable liquids

Packing group:II

Environmental hazard:

Transport in bulk:

Special precautions for user:

SECTION 15 : Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute, Chronic, Fire

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed

RCRA (hazardous waste code):

67-64-1 Acetone - U002

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

67-64-1 Acetone 5000 lb

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 10.24.2014

Page 7 of 7

Acetone Reagent Grade

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

67-64-1 Acetone

SECTION 16 : Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
CFR: Code of Federal Regulations (USA)
SARA: Superfund Amendments and Reauthorization Act (USA)
RCRA: Resource Conservation and Recovery Act (USA)
TSCA: Toxic Substances Control Act (USA)
NPRI: National Pollutant Release Inventory (Canada)
DOT: US Department of Transportation

Effective date : 10.24.2014

Last updated : 03.23.2015